



TOUR GUIDE SYSTEM (1 WAY & 2 WAY)

Internationally License Free Band of 2.4 Ghz

1-Way
210m
Coverage with
Audio clarity

Belt Pack,
12 Hrs running,
30 Channels



We have offices all over
India



Supports more than
2000 receivers & 20 Groups



1. Transmit frequency 2400-2480 MHz; Real digital transmit;
2. Channel & Volume Display function.
3. Sampling rate 64K; Frequency Response 20-20KHz sound quality;
4. Ultra-low power consumption, 10hr. Work time for transmitter and 15hr. Continuous work time for receiver.
5. Rechargeable 2-AA battery can be used;
6. Small in size, easy to install, flexible in design and support customization;
7. Transmit power 1MW-100MW as optional
8. It's workable for at least 20 teams' simultaneous using within 210 square meters area.

Shop Floor, Conferences,
Plant Tours & Classrooms



Supports
Unlimited receivers & 23 Groups

2-Way
250m
Coverage with
Audio clarity

Belt Pack,
17 Hrs running,
23 Channels



1. Two way transmission allows guide and visitors to interact.
2. Wider band allows crystal clear sound transmission.
3. Advanced microchips to ensure very little noises and compact size.
4. High-Tech Rechargeable Lithium battery with large capacity.
5. 250 meters range from the transmitter to receivers.
6. 23 independent channels.
7. Easy to use multi-port battery charger.



Translation india

A-34 sewak park, street -10,
dwarka modh, near metro station,
new delhi: 110 059, india

Mobile: +91-9811 200 494

e-mail: ram@translationindia.Com

website: www.Translationindia.Com